

WATT'S NEW



TABLE OF CONTENTS



HAND TOOLS	4-8
CONDUIT, PIPE AND MEASUREMENT	9-11
CABLE MANAGEMENT	11
ELECTRICAL TESTING AND INSTALLATION TOOLS	12-14
CONSTRUCTION AND STRUCTURAL TOOLS	15
PERSONAL PROTECTION & SAFETY	16
JOB SITE	17-18
ENCLOSURES	20
BATTERY & HYDRAULIC TOOLS	20-21
TERMINALS	22
FIXINGS & FASTENINGS	23
CABLE JOINTING	23-25
HAND TOOLS	27
HAND TOOLS	29



Klein Tools was founded in 1857 by an industrious German immigrant, Mathias Klein, who began in the hand tool business when a broken side-cutting pliers was brought to his forge shop by a telegraph lineman. Mathias repaired the pliers by forging and finishing a new half for the tool and riveting it to the old half. Soon the lineman returned because the other original half of the pliers had broken and needed replacement. Mathias forged and finished the second half of the pliers and riveted it to the other replacement half – creating the first complete Klein pliers.

To this day, Klein Tools is proudly owned and managed by the Klein family. Over 160 years of hard work and dedication has earned Klein the reputation of supplying only the finest quality products for users of professional hand tools, Test and Measurement and occupational protective equipment.

Pliers

Heavy-Duty Cutting Ironworker's Pliers

- Ironworker's Pliers twist and cut soft annealed rebar tie wire
- Cuts ACSR, screws, nails and most hardened wire
- High-leverage design has 46-percent more cutting power
- Hook bend handle and spring-loaded action for self-opening
- Made in USA with Custom, US-made tool steel
- Induction hardened cutting knives for long life
- Hot-riveted joint ensures smooth action and no handle wobble
- Heavy-duty knurled jaws
- Unique handle tempering helps absorb the "snap" when cutting wire
- Precision-hardened plier head for on-the-job toughness
- Plastic-dipped handles for comfort and ease of identification
- "Handform" handles for full gripping and cutting power



A-D2000-9ST

Cat. No.	Jaw Length	Jaw Width	Jaw Capacity	Handle Color	Handle Finish	Overall Length	Weight
A-D2000-9ST	4.1 cm	3.2 cm	3.2 cm	Blue	Plastic-Dipped	23.7 cm	0.500 kg

All-Purpose Needle Nose Pliers

- Combination Pliers Strip and cut 8-16 AWG solid and 10-18 AWG stranded wire
- Long nose for extended reach, grabbing and looping wire, and induction-hardened cutting knives for hard wire
- 6-32 and 8-32 screw shearing
- Hot-riveted joint ensures smooth action with no handle wobble
- Made in USA
- Forged steel for maximum durability
- Spring-loaded for self-opening action
- Dual material Journeyman™ handles provide better grip



A-J206-8C

Cat. No.	Jaw Width	Point Diameter	Handle Finish	Handle Color	Overall Length	Weight
A-J206-8C	2.5 cm	3.18 mm	Journeyman	Yellow/Black	21.9 cm	0.272 kg

Crimpers, Stippers and Cutters

Solid and Stranded Copper Wire Stripper and Cutter

- Cuts, strips, and loops 10-18 AWG Solid and 12-20 AWG Stranded wire and cleanly shears 6-32 and 8-32 shears
- Precision ground stripping holes
- Strong-gripping serrated nose for easy bending, shaping, and pulling of wire
- Holes for looping and bending wire
- Made in USA
- Shear-type cutting blades for clean cuts
- Double-dipped comfort grips with curved handles
- Coil spring provides fast self-opening action
- Easy-to-read markings
- Handy closure lock for convenient storage
- Made in USA Weighs 3.5-Ounces



A-11055

Cat. No.	Insulated	Strips and Cuts	Screw Shearing	Handle Color	Handle Material	Overall Length	Weight
A-11055	No	10-18 AWG Solid, 12-20 AWG Stranded	6-32 and 8-32	Blue/Yellow	Anodized Aluminum	18.1 cm	0.154 kg

Knives & Cutting Tools

Hawkbill Blade Lockback Knife

- AUS8 stainless steel hawkbill blade
- Lockback secures blade open
- Premium quality blade offers superior edge holding
- Compact design for easy carrying
- Impact-resistant nylon resin handle with rubber insert
- Reversible thumb stud provides easy one-handed opening
- Lanyard hole for tethering



A-44005

Cat. No.	Lock Style	Blade Type	Blade Length	Retractable Blade	Material	Overall Length	Weight
A-44005	Lockback	Hawkbill	6.7 cm	No	Stainless steel/Nylon Resin	17.2 cm	0.740 kg

Lightweight Lockback Knife

- Coping blade is AUS 8 stainless-steel
- Slim and comfortable silver anodized-aluminum handle for corrosion-resistance
- Reversible thumb stud provides easy, one-handed opening
- Includes removable pocket/belt clip for easy access
- Knife is compact and lightweight
- Only 88.9 mm closed
- Weighs 3.5-Ounces



A-44007

Cat. No.	Lock Style	Blade Type	Blade Length	Blade Material	Handle Material	Overall Length	Weight
A-44007	Lockback	Coping	6.4 cm	AUS 8 Stainless Steel	Anodized Aluminum	15.6 cm	0.043 kg

Sheet Metal Tools/HVAC

Sheet Metal Tools/HVAC

5-Blade Crimper

- Produces factory-precision indentations in stove pipe and round duct with just a squeeze
- Compound-leverage mechanism makes precise indentations
- Comfortable, contoured grips cover hardened steel handles
- All steel construction and nickel-plating provide long life and durability
- Convenient self-opening latch for one handed operation
- Crimps 24 gauge steel and 28 gauge stainless steel
- Convenient self-opening latch for one handed operation



A-86520

Cat. No.	Material	Jaw Size	Overall Length	Handle Color	Weight
A-86520	Steel	4.5 cm	26 cm	Blue/Gray	0.500 kg

Hand Notcher

- Cuts 30° V shapes in sheet metal quickly and easily to make corners
- High-impact steel jaw with 13/16" (21 mm) maximum throat depth
- All steel construction with nickel-plate and black-oxide finish provides long life and durability
- Comfortable, contoured grips cover hardened steel handles
- For up to 24 gauge steel and 28 gauge stainless steel
- Convenient self-opening latch for one handed operation



A-86526

Cat. No.	Material	Overall Length	Handle Color	Weight
A-86526	Steel	23.2 cm	Blue/Gray	0.500 kg

Snap Lock Punch

- Steel jaw easily punches 3/8" (9.5 mm) wide impressions on metal edges to easily join pieces of sheet metal, duct, or siding
- Compound-leverage mechanism for greater control and easy operation
- All-steel construction and nickel-chrome plated hardware provide long life and durability
- Convenient self-opening latch for one handed operation



A-86528

Cat. No.	Material	Overall Length	Handle Color	Weight
A-86528	Steel	21.3 cm	Blue/Gray	0.500 kg

Seamers — Straight and Offset

- 3" jaw folds 22 gauge steel and 24 gauge stainless steel
- Jaw marked in 1/4" (6 mm) increments for precise bending measurements
- Compound-leverage mechanism easily and accurately bends, seams, and flattens sheet metal
- All-steel construction and nickel-chrome plated hardware for long life and durability
- Convenient self-opening latch for one handed operation
- Comfortable, contoured grips cover hardened steel handles



A-86522



A-86524

Cat. No.	Type	Jaw Size	Material	Overall Length	Handle Color	Weight
A-86522	Straight	7.6 cm	Steel	21.3 cm	Blue/Gray	0.500 kg
A-86524	Offset	76.2 mm)	Steel	21.3 cm	Blue/Gray	0.500 kg



Drivers and Wrenches

Cushion-Grip Screwdrivers

Meets or exceeds or exceeds applicable ASME / ANSI specifications

Tip-Ident® quickly identifies the type of screwdriver and tip orientation

Cushion-Grip handle allows for greater torque and comfort

Heat-treated, premium chrome plated shank for smooth feel and corrosion resistance

Precision-machined tip for exact fit


Integral flanges inside handle provide solid, twist-resistant blade anchor



Cushion-Grip Screwdrivers

Includes core Cushion-Grip screwdriver features plus:

- Narrow cabinet-tip permits blade access where space is limited
- Precision machined combo-tip designed for combination head screws
- Precision machined Phillips tip provides a more consistent geometric symmetry than conventional Phillips screwdrivers to accurately fit and torque without slippage
- Heavy-duty square shank and hex bolster allows wrench-assisted turning
- Bolster reinforces shank for hard use



Cat. No.	Tip Type	Shank Type	Insulated	Shank Length	Overall Length
A-603-4	#2 Phillips	Round	No	101.6 mm	209.6 mm
A-601-10	4.8 mm Cabinet	Round	No	254.0 mm	349.3 mm
Heavy-Duty with Bolster					
A-600-12	12.7 mm Keystone	Square	No	304.8 mm	442.9 mm

Slim-Profile Mini Ratchet Set

- Slim profile of the professional Mini Ratchet 5-Piece Set is the perfect tool for tight spaces
- Includes 1/4" and 5/16"-Inch nut drivers, a 1/4"-Inch adapter and four drive bits: #1 and #2 Phillips; 3/16" and 1/4"-Inch slotted
- 1/4"-Inch dual-drive head and socket adapter for more versatility
- The 72-tooth ratchet only needs a 5-Degree sweep for tight areas
- High-strength, steel construction increases torque and tool life
- Ring magnet and bit clip for better bit retention
- Finger loop provides one-hand driving and convenient storage



Cat. No.	Drive Size	Head Type	Set / Individual	Material	Overall Length	Weight
A-65200	1/4" Dual-Drive	Hex: 1/4" and 5/16"	Set: 1/4" and 5/16" Nut Driver; 1/4" Socket Adapter; #1 and #2 Phillips; 3/16" and 1/4" Slotted Drive Bits	Steel	11 cm	0.710 kg

Laser Levels

Rechargeable Self-Leveling Green Planar Laser Level

- Rechargeable Self-Leveling Green Planar Laser Level has easy-to-read with high visibility green horizontal and vertical laser lines
- Projects independently or together in X-, Y- and Z-planes for various layout and alignment options
- View the upward and downward plumb marks at the intersection of the Y-plane and Z-plane
- More than 9 hour run time with integrated rechargeable Li-Ion battery
- Integrated magnetic mounting bracket with 1/4-20 tripod mounting threads
- Rugged body provides IP54 water and dust resistance; hard plastic carrying case included
- Includes Li-Ion battery pack, USB-A to USB-C charging cable, magnetic mounting bracket, protective hard carrying case, and instructions



Cat. No.	Number of Beams	Laser Color	Plumb Laser	Maximum Distance	Accuracy	Drop Protection	Ingress Protection	Low Battery Indicator	Weight
A-93PLL	3	Green	No	28 m	+/- 4.5 mm per 10 m	1 m	IP54: Water and Dust Resistant	Yes	0.600 kg

Level Accessories

Li-Ion Battery

- Li-Ion Battery is a replacement part for Klein Tools' Rechargeable Self-Leveling Green Planar Laser Level (Cat. No. A-93PLL)
- Recharge the battery with the USB-A to USB-C charging cable
- Replace the Li-Ion Battery by removing the screw at the bottom of the Rechargeable Self-Leveling Green Planar Laser Level
- Battery charge indicator on the Rechargeable Self-Leveling Green Planar Laser Level illuminates to indicate charging status
- Lightweight design for easy transport
- Durable plastic casing
- Recharges in 8 hours



Cat. No.	Battery Type	Voltage	Battery Life	Recharge Time	Weight
A-29026	Lithium-Ion	5V	More than 9 hr	Less than 8 hr	0.222 kg

Tripod

- Tripod is compact and made of lightweight aluminum construction
- Adjustable legs and non-skid feet allow for stability on uneven terrain
- Pan and tilt handle allows for 360-Degree rotation and tilts pedestal to the desired orientation
- Built-in bullseye level helps ensure the tripod is on a level plane
- Tripod collapses and stores easily in the provided pouch
- Quick release plate with a 1/4-20 mounting thread
- Compatible with Klein Tools laser levels and products that attach to a 1/4-20 mounting thread such as cameras and video equipment



Cat. No.	Material	Pan Range	Tilt Range	Lateral Tilt	Adjustable Height	Weight
A-69345	Aluminum	360°	180°	90°	55.9 cm to 154.9 cm	1.5 kg

Wire Pulling Lubricant

Steel Fish Tape

- Durable, high-carbon strength 1/8-Inch wide steel fish tapes are firm yet flexible for long runs and large wire pulls
- Case design decreases payout effort and friction by optimizing the tape payout angle; slip-resistant geometry improves winding power and reduces binding
- Multi-position handle gives you a firm, steady grip as you pull or rewind tape from the case
- Descending laser etched markings in 0.3 m increments allow you to more accurately measure conduit runs and the amount of tape left to pay out
- Made in the US with Global Components
- Protective coating on the steel tape reduces corrosion from non-contact moisture and humidity
- Polypropylene case and handle offer high impact resistance



A-56334

Cat. No.	Tape Size	Tape End	Material	Color	Weight
A-56334	73.2 m x 0.3 cm x 0.2 cm	Double Loop Steel	Steel	Orange/Black	3.6 kg

Stainless Steel Fish Tape

- Durable, high strength 1/8-Inch wide stainless steel fish tapes are firm yet flexible for long runs and large wire pulls
- Corrosion resistant stainless steel tape extends the life of the tool
- Case design decreases payout effort and friction by optimizing the tape payout angle
- Slip-resistant housing geometry improves winding power and reduces binding
- Multi-position handle gives you a firm, steady grip as you pull or rewind the tape
- Descending laser etched markings in 1-Foot (0.3 m) increments allow you to more accurately measure conduit runs and the amount of tape left to pay out
- Polypropylene case and handle offer high impact resistance



A-56341

Cat. No.	Tape Size	Tape End	Material	Color	Weight
A-56341	73.2 m x 0.3 cm x 0.2 cm	Double Loop	Stainless Steel	Orange/Black	3.6 kg

Multi-Groove Fiberglass Fish Tape with Spiral Steel Leader

- Multi-groove fiberglass fish tape has a strong core for better pushing power while the grooves provide less surface area for smoother tape feeding
- Case design decreases payout effort and friction by optimizing the tape payout angle
- Slip-resistant housing geometry improves winding power and reduces binding
- Multi-position handle gives you a firm, steady grip as you pull or rewind the tape
- Durable 7-Inch spiral steel leader helps push through crowded conduit
- Durable fiberglass is longer lasting and maneuvers better in crowded conduit
- Polypropylene case and handle offer the maximum impact resistance



A-56380

Cat. No.	Tape Size	Tape End	Material	Color	Weight
A-56380	30.5 m x 0.5 cm	Spiral Steel Leader	Fibreglass	Orange/Black	1.5 kg

Premium Synthetic Polymer™

- Excellent all-purpose lubricant for electrical, telecommunications and data applications
- Easy-to-apply gel evenly clings instantly to the cable for easy handling and application
- Compatible with most types of cable, including polyethylene and semi conducting jackets
- Superior “clingability” coats wires and conduit evenly
- Non-staining, slow-drying, easy clean-up formula

Cat. No.	Size	Container	Working Temperature
A-51015	0.9 L	Squeeze Bottle	-6° C to 60° C
A-51018	18.9 L	Bucket	-6° C to 60° C



A-51015

A-51018

Premium Synthetic Clear™

- Designed for use primarily in finished workspaces (for example around painted walls and carpeted floors)
- The crystal clear formulation is easy to clean-up and will not stain
- Excellent all purpose lubricant for electrical or datacom applications
- Compatible with most types of cable jackets
- Will not separate out in hot environments for when exposed to freezing temperatures

Cat. No.	Size	Container	Working Temperature	Weight
A-51028	0.9 L	Squeeze Bottle	-6° C to 50° C	1.0 kg



A-51028

Cable Management

Loose Cable Stapler


- Drives insulated staples for Voice, Data, Video, NM-B (Romex®) and other nonmetallic (type NM) sheathed cable
- Adjustable to four sizes of staples: 1/4", 5/16", 19/32" and 31/64"
- Forward action for stability and single-handed operation
- Channel face guides and protects cable
- Cast aluminum body for durability
- Adjustable force setting lever
- Two-level staple guide opening for small and large cable and staple sizes
- Ergonomic, Cushion-Grip handle
- Jam resistant mechanism
- Convenient clip for attaching stapler to belt or tool bag. Clip can be mounted to either side of the stapler
- UL-listed insulated staples secure flat and round cables. Sold separately in 300 qty. packs in 4 sizes



A-450-100

Cat. No.	Description
A-450-100	Loose Cable Stapler

Insulated Staples			
Cat. No.	Cable Opening Size	Leg Length	For Use With
A-450-001	6 mm x 8 mm	17 mm	• CAT3/5e data cable • Speaker Wire
A-450-002	8 mm x 8 mm	17 mm	• CAT3/5e/6/6A data cable • RG59/6/6Q coax cable
A-450-003	15 mm x 9 mm	22 mm	• CAT3/5e/6/6A (x2, x3) data cable • RG59/6/6Q (x2) coax cable • NM-B (Romex®) 14-3, 14-3G, 12-3



A-450-001

A-450-002

A-450-003

Romex® is a registered trademark of Southwire Company.

Test and Measurement

Voice/Data/Video

NON-CONTACT VOLTAGE TESTER

Klein Tools Non-Contact Voltage Tester detects standard voltage in cables, cords, circuit breakers, lighting fixtures, switches, non tamper-resistant outlets and wires. A bright green LED indicates the tester is powered on. It changes to red and an audible tone sounds when voltage is detected.



CAT IV 1000V  **2 m**

Auto Power-Off
Conserves and extends battery life

Lightweight compact design with a convenient clip to fit securely in your pocket

Detects 50-1000V AC

- Voltage Tester provides non-contact detection of voltage in cables, cords, circuit breakers, lighting fixtures, switches, non tamper-resistant outlets and wires
- Volt Pen with high intensity, bright green LED indicates the tester is powered on
- When voltage is detected, a high intensity, bright red LED illuminates and an audible tone will sound
- 50 to 1000V AC power operating range allows broad application
- Auto power-off feature conserves and extends battery life
- CAT IV 1000V safety rating
- Lightweight compact design with a convenient clip to fit securely in your pocket
- Product not recommended for testing tamper-resistant outlets; use Cat. Nos. NCVT-2P or NCVT-3P in low voltage mode
- Includes instructions and 2 x AAA 1.5 volt batteries
- 6.6-Foot (2 m) drop protection

Cat. No.	Voltage	Frequency	Pollution Degree	Standard	Batteries	Overall Length	Weight
A-NCVT-1P	50 - 1000V AC	50 - 500 Hz	2	CAT IV 1000V	2 x AAA	14 cm	0.023 kg

Voice/Data/Video

Toner-PRO Tone Generator

- Professional grade tone generator for non-active wiring
- For use with Probe-Pro Tracing Probe (A-VDV500-123) required (sold separately)
- Five distinct tone cadences
- Rugged Angled Bed of Nails (ABN) clips securely attach to wires
- RJ11 plug easily connects to telephone or RJ45 data jacks to tone individual conductors or wire pairs
- Tests for continuity and polarity with response displayed on clearly labeled, easy-to-read LEDs
- Auto power-off and low battery indicator
- Loop for a lanyard



A-VDV500-063

Cat. No.	Batteries	Overall Length	Overall Height	Overall Width
A-VDV500-063	4 x AAA	63.5mm	108 mm	25.4 mm

LAN Installation and Tester Starter Kit

- Includes the tools needed to prepare, connect and test modular cables
- Durable nylon tool pouch designed specifically for modular plug installation tools
- Includes Cat. No. VDV226-011 Ratcheting Modular Crimper
- Includes VDV526-052 Lan Scout® Jr. Tester
- Includes 2100-8 Free Fall Snips
- Two additional pockets hold a screwdriver and common AA battery flashlight
- Pouch includes a closeable pocket that will hold up to 25 RJ45 plugs
- Tunnel-loop accommodates up to 2-Inch (51 mm) belt



A-VDV026-812

Cat. No.	Included	Weight
A-VDV026-812	2100-8 Stainless Steel Scissors, VDV226-011 Ratcheting Modular Cutter/Crimper/Stripper, VDV526-052 LAN Scout Jr. Tester, 98554 Marker, and 5-pocket nylon pouch.	0.7 kg

LAN Installer Starter Kit, Punchdown

- Includes the tools needed to prepare and connect 66-type and 110-type punchdown terminal blocks
- Durable nylon tool pouch designed specifically for punchdown installation tools
- Two additional pockets hold a screwdriver and common AA battery flashlight
- Tunnel-loop accommodates up to 2-Inch (51 mm) belt
- Kit includes: Free-Fall Stainless Steel Electrician's Scissors (Cat. No. 2100-8), Impact Punchdown Tool (Cat. No. VDV427-300), Punchdown Tool Blades (Cat. Nos. VDV427-104 and VDV417-110), Permanent Marker (Cat. No. 98554) and 4-Pocket Tool Pouch



A-VDV027-813

Cat. No.	Included	Weight
A-VDV027-813	2100-8 Free-Fall SS Electrician's Scissors, VDV427-047 Punchdown Multi-Tool Chassis, VDV427-015 Tool Blade-110 Type, VDV427-017 Tool Blade-Combo 66/110 Type, 98554 Marker, and 4-Pocket Tool Pouch	0.399 kg

Replacement Cables for Tone & Probe Test and Trace Kit

- Replacement test cables for Tone & Probe Tester and Tracer Kit (VDV500-705)
- RJ11 to alligator clip test cable
- Alligator clips for use on unterminated wires
- RJ45 to RJ45 test cable
- Replaces damaged or lost test cables
- Cables are 6-Inch (15.2 cm) in length
- Comes in resealable poly bag



A-VDV770-855

Cat. No.	Overall Length	Included	Weight
A-VDV770-855	15 cm	Alligator Clips to RJ11 Plug; RJ45 to RJ45	0.028 kg

Self-Storing Test + Map™ Replacement Remote for Scout® Pro 3 Tester

- Replacement remote identifies, tests and maps a location in one step when used with the Scout® Pro Tester
- Test voice (RJ11/12), data (RJ45) and video (coax F-connector) terminated cables
- RJ11/12 jack tests voice cables
- RJ45 jack tests data cables
- Male F-Connector interface tests Female F terminated coax cables
- Remote is clearly marked for easy identification
- Tester sold separately



A-VDV501-210

Cat. No.	Overall Length	Connection & Adapter Types	For Use With	Weight
A-VDV501-210	5.1 cm	RJ11, RJ12, RJ45, Coax F	Scout® Pro 3 Tester	0.045 kg

Voice/Data/Video

LAN Scout™ Jr. 2 Cable Tester

- Cable tester for data (RJ45) terminated cables and patch cords
- Large backlit LCD for low lit areas displays pin to pin wiremap results
- Test for Open, Short, Miswire or Split-Pair faults, Cross-over and Shield
- Intuitive user interface features three buttons with simple, easy-to-identify test responses
- Tone on single wire, wire pair or all 8 conductor wires
- Multiple style tone generator (solid / warble); requires probe Cat. No. VDV500-123 (sold separately)
- Auto Power-Off feature; 10-minutes in test mode, 60-minutes in tone mode
- Soft, slip-resistant, rugged overmold for easy gripping and durability
- Replaceable 2 x AAA batteries (included)
- Replaceable self-storing remote (included)
- Replacement remote available; sold separately (Cat. No. VDV999-200)

Cat. No.	Batteries	Battery Lives	Included	Weight
A-VDV526-200	2 x AAA Alkaline	Active: 80 Hours; Standby: 3 Years	Tester, Remote, 2 x AAA Alkaline Batteries	0.122 kg



A-VDV526-200

Pass-Thru™ Connectors

- Klein exclusive Pass-Thru™ Connectors provide fast, reliable connector installations for data applications.
- Cable easily passes through connector for consistent and secure terminations.
- CAT6/6A connectors are fully compliant with Power over Ethernet (PoE and PoE+) standards

Cable Type	Cat. No.	Connector Type	Connector Color	Package Quantity
CAT6A UTP*	A-VDV826-704	RJ45	Clear	50
	A-VDV826-764	RJ45	Clear	200
CAT6A STP**	A-VDV826-705	RJ45	Clear	50
	A-VDV826-754	RJ45	Clear	100

* Unshielded Twisted Pair **Shielded Twisted Pair



Strain Relief Boots for RJ45 Data Plugs

- Strain Relief Boots help keep connectors on cable
- Compatible with CAT5e and CAT6 cable
- Available in a 5 color assortment to color code cables for easy identification
- Flexible ABS plastic material does not damage cables
- Protect latch from damage
- Includes 20 black, 20 white, 20 red, 20 yellow and 20 blue strain relief boots (100 total)
- Size: 2.8 x 1.3 x 1.8 cm



A-VDV824-650

Cat. No.	Material	Connector Type	Color	Package Quantity
A-VDV824-650	ABS Plastic	RJ45	Assorted: Red, Blue, White, Black, Yellow	100

Power Tools and Accessories

26-Piece Pro Impact Power Bit Set

- 10.2 mm bit extension with strong magnet to keep bits in place
- S2 Impact-Rated Steel for maximum life
- 31.8 mm precision machined bits are longer and easier to grip
- 2-5/8" nut drivers reach easily into junction boxes
- Extended 4" (10.2 mm) Phillips and Square bit for those hard-to-reach fasteners
- Hidden loose bit storage and a spring-loaded stay-shut latch

Cat. No.	Description
A-32799	Pro Impact Power Bit 26-Piece Set

Cat. No.	Description	Includes	Package Quantity
A-32791	Pro Impact Power Bit Extension	(10.2 cm) Bit Extension	1
A-32792	1/4" Pro Impact Power Nut Driver	1/4" Hex Nut Driver	3
A-32793	5/16" Pro Impact Power Nut Driver	5/16" Hex Nut Driver	3
A-32794	3/8" Pro Impact Power Nut Driver	3/8" Hex Nut Driver	3
A-32795	Assorted Pro Impact Power Bits	(2) #2 Phillips, (2) #2 Square	4
A-32796	Assorted Pro Impact Power Bits	#1 Phillips, #3 Phillips, #1 Square, #3 Square, #2 Combo, 3/16" (4.8 mm) Slotted, 1/4" (6.4 mm) Slotted	7
A-32798	Assorted Pro Impact Power Bits	#2 Phillips	5



Lifting, Pulling and Structural

Curved Jaw Chicago® Grip for EHS Cable

- When pulling EHS (extra-high-strength) galvanized-steel cable, the galvanizing has a tendency to coat the jaws of any grip, causing the cable to slip
- To reduce the possibility of slippage and damage to the cable, the jaws of this grip are milled on a curve with a double "V" contour
- For use on aluminum, copper, weatherproof coated wire, PVC covered conductors and messenger and guy strand
- Locking handle keeps jaw open while grip is placed on cable with a hot stick
- Made in USA

Cat. No.	Cable Diameter	Jaw Type	Maximum Safe Load	Weight
A-1684-74	5.54 to 13.97 mm	Double V, Milled Curved	3629 kg	2.6 kg



A-1684-74

Protective Equipment

Canvas Buckets

HINGED GEL KNEE PADS

The Hinged Gel Knee Pads from Klein Tools are designed for all-day comfort and protection for the toughest jobs. The top strap is positioned above the knee to keep the pad centered in place. The multi-layer padding system is designed to support the knees and to reduce pressure and fatigue after all-day wear. Heavy duty synthetic rubber knee caps provide ultimate protection while allowing for side-to-side mobility. Quick-release clips and adjustable elastic straps allow for easy on/off.

Breathable mesh and neoprene lining to keep you cool

TOP STRAP ALLOWS FOR LEG MOVEMENT TO IMPROVE COMFORT.

Top strap is positioned above the knee to reduce shifting and to keep the knee pad centered

Quick-release clips secure upper and lower straps for easy on/off

Lightweight multi-layer pressure absorbing gel padding system provides heavy duty knee support for all-day comfort

Durable slip resistant rounded synthetic rubber knee caps grip work surfaces for ultimate stability while allowing side-to-side mobility

Adjustable elastic straps allow for a custom fit

- Hinged Gel Knee Pads are designed with a top strap positioned above the knee to reduce shifting and to keep the knee pad centered
- Lightweight multi-layer pressure absorbing gel padding system provides heavy duty knee support for all-day comfort
- Durable slip-resistant rounded synthetic rubber kneecaps grip work surfaces for ultimate stability while allowing side-to-side mobility
- Adjustable elastic straps allow you to dial in a custom fit
- Quick-release clips secure upper and lower straps for easy on/off
- Breathable mesh and neoprene lining to keep you cool
- Designed for professional men and women in trades that require work on or near the ground
- Perfect for indoor/outdoor work in electrical, construction, flooring installation and cleaning, roof repair, welding, gardening and car repair
- Sold in pairs

Cat. No.	Description	Material	Dimensions
A-60344	Hinged Gel Knee Pads	35% Nylon, 20% Polyester, 15% Thermoplastic Rubber, 15% EVA, 10% NBR, 5% Iron	3.5" x 10.7" x 9.8" (8.9 x 27.3 x 25.0 cm)

Canvas Bucket with Bucket Top

- Canvas Bucket is load rated 150-pounds (68 kg)
- Top of tool bucket zips closed
- 14-Inch (35.6 cm) diameter accommodates standard 5-gallon (18.93 L) bucket
- 22-Inch (55.9 cm) tall bucket constructed of heavy-duty No. 1 canvas
- Web strap extends down the side of the bucket
- Leather reinforced bottom extends 3-Inch (76 mm) up the side
- Durable steel rim



A-5104CLR22

Cat. No.	Load Rating	Diameter	Overall Height	Closure Type	Material	Weight
A-5104CLR22	68 kg	35.6 cm	55.9 cm	Zipper	No. 1 Canvas	3.2 kg

Tapered-Wall Bucket

- Bottom made of black molded polypropylene for durability
- Made in the USA
- Web handle extends down the sides of the bucket for added strength
- Durable, straight-wall and tapered-wall buckets are made of heavy-duty No. 6 canvas
- Measures 13-Inch (33 cm) high, with tapered diameter of 12-Inch (30.5 cm) at the top, 9-Inch (23 cm) at the bottom
- High-density polyethylene top ring for strength and chemical resistance



A-5113

Cat. No.	Top Diameter	Bottom Diameter	Overall Height	Material	Weight
A-5113	30.5 cm	23 cm	33 cm	No. 6 Canvas	0.7 kg

Bull-Pin and Bolt Pouch

- Tool Bag made of No. 4 canvas with double bottom
- Bolt bag with bull-pin loop on each side
- Made in the USA
- Easily hangs on tool belt for easy access



A-5416

Cat. No.	Number of Pockets	Material	Belt Connection	Belt Width	Overall Length	Overall Width	Overall Height	Weight
A-5416	3	No. 4 Canvas	Loops	76.2 mm	127.0 mm	254.0 mm	228.6 mm	3.2 kg

Tool Belts

Medium Tool Belt with Quick Release Buckle

- Medium fits 30-Inch to 44-Inch (762 mm to 1118 mm) belt sizes
- Belt is made of a mildew-resistant blend of cotton/polyester webbing for comfort and strength
- Features a forged, quick-release buckle for emergency situations where the user has to quickly disengage the belt (ie, working over water or in grain elevators)
- Must be worn over the users harness and clothing so it will drop free when released
- This is NOT an occupational protective belt. ONLY use as a tool belt

Cat. No.	Waist Size	Width	Weight
A-5425M	76.2 to 111.8 cm	5.1 cm	0.7 kg



A-5425M

Tradesman Pro™ Padded Tool Belt

- 50.8 mm wide belt features padded liner with breathable mesh interior
- Thick, rugged leather belt ends
- Side handles for ease of lifting
- Includes metal connection
- Points to attach suspenders for extra support

Cat. No.	Waist Size	Belt Width	Overall Length	Overall Width
A-55918	787.4 to 863.6 mm	50.8 mm	113 cm	127 mm
A-55919	889.0 to 990.6 mm	50.8 mm	124.5 cm	127 mm



A-55919

Jobsite Accessories


Rechargeable Personal Work Light

- Versatile Rechargeable Personal Work Light stands, hooks, hangs, and mounts magnetically
- LED Light modes are High: 460 Lumens for 9 hours, and Low: 175 Lumens for 16 hours
- Able to charge smartphones and other small devices via USB-A
- Infinite light direction; head rotates 360 degrees while the kickstand rotates 270 degrees
- Kickstand features strong magnets for mounting, three nail notches, and a built-in carabiner for easy hanging
- Gauge indicates battery life in 25-Percent increments
- Rechargeable via Micro-USB cord (included)
- Easy to find glow locator recharges when lit
- Durable light has a 6-Foot drop test rating and is IP54 water and dust resistant

Cat. No.	Lumens	Battery Life	Batteries	Drop Protection
A-56403	High: 460; Low: 175	High: 9 hours, Low: 16 hours	Li-Ion 18650	1.8 m




A-56403



Attaches to magnetic surface



Or hang it from conduit



Alco

Alco was the first brand to provide a comprehensive range of Metal Cable Glands designed in Australia to meet Australian and International Standards. Alco premium quality cable glands are manufactured to comply with the requirements of the AS/NZS 60079.2000 (equivalent to IEC 60079/1998) standards.

Junction Box Accessories

Din Rail

- Electrical component mounting rail

Types: Tophat, Slotted
Standard: IEC 60715
Material: Steel, Zinc Plated



Cat. No.	Length	Width	Height	Type	Slotted
ALCTS15S1000	1000	15	5	Tophat	Yes
ALCTS35S2000	2000	35	7.5	Tophat	Yes
ALCTS35S1000	1000	35	7.5	Tophat	Yes
ALCTS35HS2000	2000	35	15	Tophat	Yes
ALCTS35HS1000	1000	35	15	Tophat	Yes

All dimensions in mm unless otherwise specified.

Crimping Tool Accessories

Individual 12 Tonne Copper C-Connector Dies

- Hardened alloy steel black finish dies
- For crimping C profile copper connectors in underground earthing applications (in clay is good)
- Dies suit all common U-die 12t hydraulic and battery/hydraulic crimpers (Izumi style)
- Sizes to suit conductors from 16mm² to 240mm²



Cat. No.	Description	Crimping Size (mm ²)	Crimp Length (mm)
ALCK12-C25C	Suits standard 25mm ² connectors	25 mm ²	2 x 5mm
ALCK12-C35C	Suits standard and wide mouth 35mm ² connectors	35 mm ²	2 x 5.5mm
ALCK12-C70C	Suits standard and wide mouth 70mm ² connectors, and 70mm ² multi fit connectors	70 mm ²	5mm
ALCK12-C95C	Suits standard 95mm ² connectors	95 mm ²	5mm
ALCK12-C120C	Suits standard and wide mouth 120mm ² connectors, and 120mm ² multi fit connectors	120 mm ²	5mm
ALCK12-C240C	Suits wide mouth 240mm ² connectors, and 240mm ² multi fit connectors	240 mm ²	12mm

12 Tonne Copper C-Connector Crimp Die Kit

- 12 Ton C-Connector Die Kit
- 6 pieces stored in convenient case
- Includes 6 Dies 25 to 240mm
- Hardened alloy steel black finish dies
- For crimping C profile copper connectors in underground earthing applications (in clay is good)
- Dies suit all common U-die 12t hydraulic and battery/hydraulic crimpers (Izumi style)
- Dies can also be sold individually

Cat. No.	Kit Contains
ALCK12-CCDIEKIT	ALCK12-C25C Suits standard 25mm ² connectors
	ALCK12-C35C Suits standard and wide mouth 35mm ² connectors
	ALCK12-C70C Suits standard and wide mouth 70mm ² connectors, and 70mm ² multi fit connectors
	ALCK12-C95C Suits standard 95mm ² connectors
	ALCK12-C120C Suits standard and wide mouth 120mm ² connectors, and 120mm ² multi fit connectors
	ALCK12-C240C Suits wide mouth 240mm ² connectors, and 240mm ² multi fit connectors



ALCK12-CCDIEKIT

Crimping Tool Accessories

Individual Strip Dies For XLPE Insulation

- Protects against knife injuries on the job
- Optimized design prevents nicks
- Ability to strip in crowded panels and switch gears
- Compatible with Milwaukee M18™ cable stripper (M18BCS-0C)

Cat. No.	Diameter Range
ALCSTD8	6 - 8mm
ALCSTD9	7.5-9.1mm
ALCSTD10	8.8-10.3mm
ALCSTD12	10.0-12.2mm
ALCSTD14	12.2-14.5mm
ALCSTD17	14.5-17.0mm
ALCSTD19	17.0-18.7mm
ALCSTD21	18.7-20.7mm
ALCSTD24	20.7-23.9mm
ALCSTD27	24 to 26.6mm



Accessories	
Cat. No.	Description
ALCSTDADP	Strip Die Adaptor to suit ALCSTD24 to ALCSTD27
ALCSTDHND	Strip Die Handle to Suit ALCSTD8 to ALCSTD27 (ALCSTD24/27 with adaptor)

Strip Die Set for XLPE Insulation

- 10 piece Strip die set for XLPE insulation
- Diameter Range 6 to 26.6mm suits 25 to 300 mm
- Protects against knife injuries on the job
- Optimized design prevents nicks
- Ability to strip in crowded panels and switch gears
- Compatible with Milwaukee M18™ cable stripper (M18BCS-0C)

Cat. No.	Kit Contains
ALCSTDKIT	ALCSTD8 6 - 8mm
	ALCSTD9 7.5-9.1mm
	ALCSTD10 8.8-10.3mm
	ALCSTD12 10.0-12.2mm
	ALCSTD14 12.2-14.5mm
	ALCSTD17 14.5-17.0mm
	ALCSTD19 17.0-18.7mm
	ALCSTD21 18.7-20.7mm
	ALCSTD24 20.7-23.9mm
	ALCSTD27 24 to 26.6mm



ALCSTDKIT

Specialty Terminals
Heatshrink solder joint terminals

- Combines advantages of heatshrink, low-melt solder and waterproofing protection glands
- Fast, waterproof, electrically reliable connection
- Fully insulated connection
- Doesn't require crimping tool or solder

Shrink Temperature: +150
Operating Temperature: -10 / +105
Voltage Maximum: 600V



Cat. No.	Description	Conductor Size (mm ²)	Colour	Pack Qty
ALCHSJW-100	Glue lined Heat shrink solder joints for waterproof soldered connections	Cu 0.25-0.5mm ²	Clear	100
ALCHSJR-50	Glue lined Heat shrink solder joints for waterproof soldered connections	Cu 0.5-1.5mm ²	Red	50
ALCHJSB-50	Glue lined Heat shrink solder joints for waterproof soldered connections	Cu 1.5-2.5mm ²	Blue	50
ALCHJSY-25	Glue lined Heat shrink solder joints for waterproof soldered connections	Cu 4-6mm ²	Yellow	25
ALCHSCJW-100	Heatshrink crimp and solder connections	Cu 0.25-0.5mm ²	Clear	100
ALCHSCJR-50	Heatshrink crimp and solder connections	Cu 0.5-1.5mm ²	Red	50
ALCHSCJB-50	Heatshrink crimp and solder connections	Cu 1.5-2.5mm ²	Blue	50
ALCHSCJY-25	Heatshrink crimp and solder connections	Cu 4-6mm ²	Yellow	25

Heatshrink Solder Joint Kit

- 46 piece Solder joint terminal kit
- Combines advantages of heatshrink, low-melt solder and waterproofing protection glands
- Fast, waterproof, electrically reliable connection
- Fully insulated connection
- Doesn't require crimping tool or solder

Cat. No.	Kit Contains		
	Cat. No.	Description	Qty
ALCHSJS-KIT46	ALCHSJW	Cu 0.25-0.5mm ²	10
	ALCHSJR	Cu 0.5-1.5mm ²	5
	ALCHJSB	Cu 1.5-2.5mm ²	5
	ALCHJSY	Cu 4-6mm ²	3
	ALCHSCJW	Cu 0.25-0.5mm ²	10
	ALCHSCJR	Cu 0.5-1.5mm ²	5
	ALCHSCJB	Cu 1.5-2.5mm ²	5
	ALCHSCJY	Cu 4-6mm ²	3



ALCHSJS-KIT46

Stud Grommet
Easy Fit Metal Stud Grommet

- Protects cabling and plumbing
- Reduces vibration and noise on pipes and cables
- Use with alco metal stud punch Hardened steel dies for durability



Cat. No.	Hole Size	Suits pipes/cable	Pack Qty
ALCMG028	28mm diameter hole	up to 3/4 inch (20mm) diameter	100
ALCMG034	34mm diameter hole	up to 1 inch (25mm) diameter	100

Heatshrink Kits
Pre-cut Glue Lined Heatshrink

- Pre-Cut Heatshrink
- 300mm Lengths
- Medium & Thick Walled
- Glue Lined
- Black Colour Only
- Mixed sizes

Shrink Temperature: ≥ 110°C
Shrink Ratio: Radial Shrinking Ratio: > 50%
 Longitudinal Shrinking Ratio: < 10%
Tensile Strength: ≥5.5 MPa
Elongation at Break: ≥580%
Operating Temperature: -55°C - 125°C



Cat. No.	Description	Diameter As Supplied	Diameter After Heating	Length	Colour	Qty
HSGLPRECU						
Medium Wall Glue Lined						
	HSMWGL 10.0/3.0	10.0mm	3.0mm	300mm	Black	2
	HSMWGL 16.0/5.0	16.0mm	5.0mm	300mm	Black	2
	HSMWGL 25.0/8.0	25.0mm	8.0mm	300mm	Black	1
	HSMWGL 35.0/12.0	35.0mm	12.0mm	300mm	Black	1
Thick Wall Glue Lined						
	HSTKWGL 13.0/4.0	13.0mm	4.0mm	300mm	Black	2
	HSTKWGL 19.0/6.0	19.0mm	6.0mm	300mm	Black	2
	HSTKWGL 18.0/9.0	18.0mm	9.0mm	300mm	Black	1
	HSTKWGL 38.0/12.0	38.0mm	12.0mm	300mm	Black	1

Heatshrink Kits

Pre-cut Thin Walled Heatshrink

- Pre-Cut Heatshrink
- 300mm Lengths
- Thin Walled
- Mixed Colours
- Mixed Sizes


Shrink Temperature: ≥ 110°C

Shrink Ratio: Radial Shrinking Ratio: > 50%
Longitudinal Shrinking Ratio: < 10%


Tensile Strength: ≥ 15.5 MPa

Elongation at Break: ≥ 580%

Operating Temperature: -55°C - 125°C



Cat. No.	Description	Diameter As Supplied	Diameter After Heating	Length	Black Qty	Blue Qty	Red Qty	White Qty	Yellow/Green Qty	Clear Qty
HSTNWPRECUT										
	Thin Wall 2.5/1.25	2.5mm	1.25mm	300mm	4	4	4	4	4	4
	Thin Wall 5.0/2.5	5.0mm	2.5mm	300mm	3	3	3	3	2	2
	Thin Wall 7.0/3.55	7.0mm	3.55mm	300mm	3	3	3	3	2	2
	Thin Wall 10.0/5.0	10.0mm	5.0mm	300mm	3	3	3	3	2	2
	Thin Wall 13.0/6.55	13.0mm	6.55mm	300mm	3	3	3	3	2	2
	Thin Wall 22.0/11.0	22.0mm	11.0mm	300mm	2	2	2	2	2	2



Cable Ties & Accessories

NEW SIZE

Nylon Cable Ties

- Industrial cable ties designed for the mobile worker
- Designed for use wherever you need to bundle wire, cable or pipe
- Easily adjustable and made from polyamide 66
- Halogen free
- UV resistant (black only)

Material: Polyamide 66 UL94V2

Operating temperature range: 0-85°C



ALCTIE140B

Cat. No.	Length (mm)	Width (mm)	Max Bundle Dia (mm)	Tensile Strength (kg)	Colour	Pack Size
ALCTIE200LDB	200	2.5	52	8	Black	100
ALCTIE200LDW	200	2.5	52	8	White	100
ALCTIE200MDB	200	3.5	52	18	Black	100
ALCTIE200FB	200	7.5	54	54	Black	100
ALCTIE200BL	200	4.6	54	22	Blue	100
ALCTIE200GN	200	4.6	54	22	Green	100
ALCTIE200RD	200	4.6	54	22	Red	100
ALCTIE200YW	200	4.6	54	22	Yellow	100
ALCTIE250B	250	4.6	68	22	Black	100
ALCTIE290BL	290	4.6	81	22	Blue	100
ALCTIE290GN	290	4.6	81	22	Green	100
ALCTIE290RD	290	4.6	81	22	Red	100
ALCTIE290YW	290	4.6	81	22	Yellow	100
ALCTIE430B	430	4.6	125	22	Black	100
ALCTIE510XHDB	510	12.7	150	110	Black	25
ALCTIE530B	530	4.6	160	22	Black	100
ALCTIE540FB	540	7.5	160	54	Black	100
ALCTIE610XHDB	610	12.7	181	110	Black	25
ALCTIE770HDB	770	8.7	226	80	Black	25
ALCTIE770HDW	770	8.7	226	80	White	25
ALCTIE1100HDB	1160	8.7	335	80	Black	25
ALCTIE1530HDB	1530	8.7	460	80	Black	25

Nylon Mounting Head Cable Ties

Cat. No.	Length (mm)	Width (mm)	Mounting Head Hole Dia (mm)	Tensile Strength (kg)	Colour	Pack Size
ALCTIE200MHW	200	4.6	5.1	22kg	White	100
ALCTIE200MHB	200	4.6	5.1	22kg	Black	100



ALCTIE140W



ALCTIE200BL



ALCTIE200GN



ALCTIE200RD



ALCTIE200YW

Wattmaster

The Wattmaster range of tools has been synonymous as a trusted name in the electrical industry since the late 1960's. Well known for quality products and extensive industry knowledge, Wattmaster has been the brand that Australian electricians continue to rely upon. The range consists of many well known brands of hand tools & storage systems including, Marvel pliers, Witte screwdrivers and Rola case.



HAND TOOLS

Wattmaster

General Electricians Tools

GPO Level

- GPO level plaster cut out template
- 2 Resin Vials
- Aligns power point
- Can be used as a template for cut-out
- Convenient and easy to use

Cat. No.	Dimensions	Weight
WATGPOLVL	87mm x 52mm	0.010 kg



WATGPOLVL

Everyday Consumables

Commercial Wall Clock

- Taiwanese quartz movement with glass mineral lens
- Plastic bands and dial
- White with black numerals
- Batteries not included

Cat. No.	Model	Type of indication	Housing shape	Colour housing	Face Diameter	Total Diameter
WATCL8400	Quartz clock, battery operated	Analogue	Round	White	264mm	295mm



WATCL8400

Cases

Small Parts Box

- 20 adjustable compartments
- 1 tool compartment in front of case
- Corrosion proof
- Lid opens 180 degrees
- Sturdy locking system
- Divided goods will not interchange when shaken
- Unique lid design keeps storage locked in place
- Movable handle

Cat. No.	Dimensions	Case Colour	Lid Colour
WATRC001	W 370mm x D 370mm x H 85mm	Orange	Orange



WATRC001

At Mumme Tools we are proud supporters of local Australian made products.

Our workshop, located in Lonsdale, South Australia is operated by skilled craftspeople that take pride in the products they produce.

Our products are made tough, thanks to our passion for hand forging, pressing, grinding and packing right here in Australia. All whilst using premium materials.

Our advantage is having over eighty years of experience crafting hand tools in Australia, and with it comes the technical knowledge of the processes and materials that are required to create the best quality hand tools.

The quality speaks for itself with our range often preferred by industry professionals.

The products we sell cover a large variety of markets. They are used in applications across mine sites, heavy industry, councils, defence forces, trades and home handy persons in Australia and around the world.

Crafted Tough
Since 1936



PARROT BEAK FENCING PLIERS



- Made from high quality chrome vanadium steel
- Designed for heavy-duty use
- Black anti-rust phosphate surfaces
- Extra long handles for better leverage
- Multi-function pliers




Cat	Description	Overall Length	Handle Colour	Weight	Barcode
7FP	Parrot Beak Fencing Pliers	280mm	Blue	0.77 kg	9314572024618

52 WEEKS OF
Alco
used by spotters everywhere
ELECTRIC
INFLUENCER



**SCAN THE BARCODE
TO WATCH THE
LATEST EPISODE.**



TRADES CLUB

Join the Trades Club

at www.kleintoolsnz.com for new products,
innovations and chances to win FREE tools!

- ELECTRICAL
- DATA COM
- HVAC
- TELECOM
- UTILITY
- PLUMBING
- HEAVY INDUSTRY
- STEEL & CONCRETE CONSTRUCTION

KLEIN
TOOLS®



NEW ZEALAND

See our complete range of products at
www.kleintoolsnz.com